

Friends of Scotchmans Creek and Valley Reserve Inc



Inc No A0037872K

Waterwatch Report 20 March 2022

Scope

- Aquatic invertebrate sampling at sites 2 and 3 (our downstream sites).
- Basic chemistry tests at all sites.
- Dissolved Oxygen and Phosphate tests at sites 2 and 3 (our downstream sites).
- Ammonium tests at all sites.
- Flow measurement and/or observations at all sites.

Weather Conditions

Previous week: Mild, 1 mm rain Previous 24 hours: Sunny, no rain. During testing: Sunny, no rain.

Water Quality Results

	YSC01 Site 1A Fiande arm		YSC01 Site 1I Crosby arm	3	YSC02 Site 2 Regen		YVA1 Site 3 Valley Creek	
Air Temp C	22		22	2	19)	19)
Water Temp C	20		20		18		18.5	
рН	7.3	G	6.9	Е	6.9	Е	6.9	Е
Oxygen Conc. mg/l					5.0	F	3.9	D
Conductivity E.C.	430	F	260	F	480	F	530	P
Turbidity F.T.U	5 I	Ε	11	Е	16	G	28	P
Phosphorus, soluble ppm					0.042	F	0.033	F
Ammonium NH4+ ppm	0.01	Е	0.01	Е	0.10	F	0.02	Е
Stream Flow estimate l/s	2.7		3.6	5	11.	4	0.0)

(E = Excellent, G = Good, F = Fair, P = Poor, D = Degraded)

Macro Invertebrates Results

		YSC020 Site 2 Regent St	YVA100 Site 3 Valley Creek
	Bug score (sensitivity weighting)	Number found	Number found
Sensitive			
Damselfly larvae	6	20	10
Dragonfly larvae	6	10	1
Water Mites	5		50
Tolerant			
True Bugs (Backswimmers, Water Scorpions, Water Boatmen, Lesser Water Striders, Water Striders/Treaders)	4	2	
Leeches	3	3	7
Snails (freshwater)	3		50
Flatworms	3	10	20
Very Tolerant			
Mosquito larvae	2		50
Fly larvae	2	30	5
Freshwater segmented worms	1	1	50
Blood worms	1	10	
Total Number Found		86	243
Total Bug Score		26	31
Stream Condition		Poor	Fair

Comments:

The creeks are recovering from the low flow conditions of the last 2 months. (Valley Creek has not been flowing on the day of any of our site visits this year - we sampled from the pools that remain).

- The number of Excellent water quality results has risen from 4 in January, to 8 in March, and the number of Degraded water quality results has fallen from 7 in January, to 1 in March.
- The invertebrates sample ratings were Poor for site 2 (Scotchmans Ck at Regent St), and Fair for Valley Ck (unfortunately, an unusually large number of mosquito larvae contributed to this Fair result).

FGB 23/3/22